

Historic
06/03/2020
C232card

SCHEDULE 3 TO CLAUSE 37.07 URBAN GROWTH ZONE


Shown on the planning scheme map as **UGZ3** .

OFFICER PRECINCT STRUCTURE PLAN (SEPTEMBER 2011, AMENDED NOVEMBER 2019) – RESIDENTIAL AREA

1.0
Historic
06/03/2020
C232card

The Plan

Plan 1 shows the future urban structure proposed in the incorporated *Officer Precinct Structure Plan* . It is a reproduction of Plan 5 in the incorporated *Officer Precinct Structure Plan* .



Copyright, Victorian Planning Authority, 2019. The State of Victoria does not warrant the accuracy or completeness of information in this publication and any person using or relying upon such information does so on the basis that the State of Victoria shall bear no responsibility or liability whatsoever for any errors, omissions, defects or omission in the information.


2.0
Historic
06/03/2020
C232card
2.1
Historic
06/03/2020
C232card

Use and development

The Land

The use and development provisions specified in this schedule apply to the land shown in Plan 2 of this schedule and shown as UGZ3 on the planning scheme maps.

CARDINIA PLANNING SCHEME



APPLIED ZONES LEGEND

UGZ3 Boundary	Peripheral Commercial	District Park
Residential	Convenience Centre	Conservation Area
Core Business	Conservation Living Area	Floodway
300m Noise buffer	250m Dust and Odour separation distance	

Copyright Victorian Planning Authority, 2019. The state of Victoria does not warrant the accuracy or completeness of information in this publication and any person using or relying upon such information does so on the basis that the State of Victoria shall bear no responsibility or liability whatsoever for any errors, faults, defects or omission in the information.

2.2
Historic
20/01/2022
VC205

Applied zone provisions

The provisions of the following zones in this scheme apply to the use and subdivision of land, construction of a building, and construction and carrying out of works, by reference to Plan 2 of this schedule.

Note: e.g. The Commercial 2 Zone specifies 'Shop' as a Section 1 Use with the condition, 'The site must adjoin, or have access to, a road in a Transport Zone 2 or Transport Zone 3.' In this instance the condition should be read as, 'The site must adjoin, or have access to, a road in a Transport Zone 2 or Transport Zone 3 or an applied Transport Zone 2 or Transport Zone 3 in the Urban Growth Zone schedule applying to the land'.

Table 1: Applied zone provisions

Land shown on Plan 2 of this schedule	Applied zone provisions
Core Business / Convenience Centre / Peripheral Commercial	Clause 34.01 – Commercial 1 Zone
Land shown on Plan 2 of this schedule	Applied zone provisions
Conservation Living Area	Clause 35.06 – Rural Conservation Zone
Land shown on Plan 2 of this schedule	Applied zone provisions

CARDINIA PLANNING SCHEME

District park	Clause 36.02 – Public Park and Recreation Zone
Land shown on Plan 2 of this schedule	Applied zone provisions
Conservation area	Clause 36.03 – Public Conservation and Resource Zone
Land shown on Plan 2 of this schedule	Applied zone provisions
Floodway	Clause 37.03 – Urban Floodway Zone
All other land on Plan 2 of this schedule	Applied zone provisions Clause 32.08 – General Residential Zone

Where a public land zone is applied in Table 1 and the land is in private ownership the bodies specified below are the public land manager for the purposes of the applied zone.

Applied zone	Public land manager
Public Park and Recreation Zone	Cardinia Shire Council
Public Conservation and Resource Zone (adjacent to Cardinia Creek)	Parks Victoria
Public Conservation and Resource Zone (adjacent to Gum Scrub Creek)	Melbourne Water or Cardinia Shire Council as appropriate

2.3
Historic
06/03/2020
C232card

Specific provisions – Use of land

Section 1 - Permit not required

Use	Condition
<p>Bed and breakfast where the applied zone is General Residential Zone</p> <p>Community care accommodation where the applied zone is General Residential Zone</p> <p>Dependant person's unit where the applied zone is General Residential Zone</p> <p>Dwelling (other than bed and breakfast) where the applied zone is General Residential Zone</p> <p>Informal outdoor recreation where the applied zone is General Residential Zone</p> <p>Rooming house where the applied zone is General Residential Zone</p>	<ul style="list-style-type: none"> ▪ Must not be on land within the 'separation distance' area from the existing HyGain Feeds Mill site at 10-20 Hickson Road, Officer shown on Plan 2 of this Schedule and Figure 6 in the incorporated <i>Officer Precinct Structure Plan</i>; and ▪ Must meet the conditions associated with these land uses under Section 1 of Clause 32.08-2. ▪
<p>Shop (other than Adult sex product shop) where the applied zone is Commercial 1 Zone and the land is shown as "Core Business" and "Convenience Centre" on Plan 2 of this Schedule.</p>	<p>The combined leasable floor area of all shops must not exceed:</p> <ul style="list-style-type: none"> ▪ 8,000 square metres for land shown as Neighbourhood Activity Centre – Princes Highway and Whiteside Road; ▪ 2,000 square metres for land shown as Neighbourhood Convenience Centre – Timbertop Boulevard North; or ▪ 500 square metres for any other neighbourhood convenience centre.
<p>Any use listed in Clause 62.01</p>	<p>Must meet requirements of Clause 62.01.</p>

CARDINIA PLANNING SCHEME

Use	Condition
-----	-----------

Any other use listed in Section 1 in the Table of uses of the applicable applied zone.

Section 2 - Permit required

Use	Condition
-----	-----------

Residential aged care facility where the applied zone is General Residential Zone

Beauty salon where the applied zone is Commercial 1 Zone and the land is shown as "Peripheral Commercial" on Plan 2 of this Schedule.

Hairdresser where the applied zone is Commercial 1 Zone and the land is shown as "Peripheral Commercial" on Plan 2 of this Schedule.

Food and Drink Premises where the applied zone is Commercial 1 Zone and the land is shown as "Peripheral Commercial" on Plan 2 of this Schedule.

Any other use not in Section 1 or 3 in the Table of uses in the applicable applied zone.

Section 3 – Prohibited

Use

Car wash where the applied zone is General Residential Zone

Food and drink premises (other than Restaurant) where the applied zone is General Residential Zone

Service station where the applied zone is General Residential Zone

Retail premises (other than Beauty salon, Food and Drink Premises and Hairdresser) where the applied zone is Commercial 1 Zone and the land is shown as "Peripheral Commercial" on Plan 2 of this Schedule.

Industry where the applied zone is Commercial 1 Zone and the land is shown as "Peripheral Commercial" on Plan 2 of this Schedule.

Any use listed in Section 3 in the Table of uses of the applicable applied zone

Berwick Pottery Site

A permit may be granted for the following uses on properties numbered 185 & 186 in the Officer Precinct Structure Plan (Lot 1 on TP20791 and Lot 1 on TP20642), also known as the Berwick Pottery:

Use	Condition
-----	-----------

Retail premises (other than Food and drink premises, Market, Convenience shop, Plant nursery, Tavern, Betting agency, Gambling premises, Gaming premises, Motor vehicle, boat, or caravan sales and Shop)

Restricted retail premises

Must be in one occupation with a leasable floor area of at least 1000 square metres.

Use of land for a dwelling

Prior to the use of any dwelling:

- the dwelling must be connected to a reticulated recycled water supply system for toilet flushing and garden watering where available to the lot; or
- where a reticulated recycled water supply system is not available to the lot, the dwelling must be connected to a rainwater tank with a minimum capacity of 2,500 litres for toilet flushing and garden watering or an alternative grey water recycling system to the satisfaction of the responsible authority; and

- the dwelling must be connected to a reticulated sewerage system.

Use of land within HyGain ‘separation distance’

The use of the land for a bed and breakfast, accommodation, education centre and informal outdoor recreation within the identified ‘separation distance’ from the HyGain Feeds Mill Site must not be located in areas where their amenity may be detrimentally affected by the HyGain Feeds Mill site through noise, dust or odour emissions.

2.4
Historic
06/03/2020
C232card

Specific provisions - Subdivision

Environmental Residential (north of Princes Highway)

An application to subdivide land in the area shown as Environmental Residential B in Plan 8 of the incorporated *Officer Precinct Structure Plan* and Lot 2 PS312844 must provide lots that are a minimum of 4000 square metres where any proposed lot contains native vegetation to be retained in the *Officer Native Vegetation Precinct Plan (September 2011)* unless a planning permit has been granted for the removal of native vegetation within the proposed lot.

Whiteside Road Neighbourhood Activity Centre

An application to subdivide land in the Whiteside Road Neighbourhood Activity Centre including all land south of the Boulevard Connector between May and Whiteside Roads in Plan 1 must be consistent with an urban design framework approved under this schedule.

2.5
Historic
28/11/2024
GC206

Specific provisions - Buildings and works

Construction of one dwelling on a lot

In the area shown as ‘Residential’ where the applied zone is General Residential Zone on Plan 2 of this Schedule, a permit is not required to construct or extend one dwelling on a lot with an area less than 300 square metres where an approved building envelope as defined in Part 4 of the Building Regulations 2006 applies to the lot.

Dwellings on a lot less than 300 square metres

A permit is not required to construct or extend one dwelling on a lot of less than 300 square metres, if either of the following apply:

- There is a restriction registered on the plan of subdivision identifying the lot as a lot to which the *Small Lot Housing Code* (Victorian Planning Authority, November 2019) applies and the development complies with the *Small Lot Housing Code* (Victorian Planning Authority, November 2019) incorporated into this planning scheme.
- There is a restriction registered on the plan of subdivision identifying the lot as a lot to which the *Small Lot Housing Code* (Victorian Planning Authority, November 2024) applies and the development complies with the *Small Lot Housing Code* (Victorian Planning Authority, November 2024) incorporated into this planning scheme.

Buildings and Works associated with a dwelling:

Buildings and works for a dwelling within 300 metres from the HyGain Mills site at 10-20 Hickson Road, Officer must be designed and constructed to achieve the following noise levels:

- Not greater than 35dB(A) for bedrooms, assessed as an LAeq,8h from 10pm to 6am.
- Not greater than 40dB(A) for living areas, assessed LAeq,16h from 6am to 10pm.

Noise levels should be assessed in unfurnished rooms with a finished floor and the windows closed.

Construction and extension of one dwelling on a lot of 1000 square metres or more

A permit is required to construct or extend one dwelling on a lot of 1000 square metres or more where the applied zone is General Residential Zone, except where buildings and works are generally in accordance with an approved building envelope (as defined in Part 4 of the Building Regulations 2006).

Public transport referral requirements

For the purpose of Clause 66.02-11 of the scheme a development is generally in accordance with the incorporated *Officer Precinct Structure Plan* where the following requirements are met:

- A road nominated on Plan 17 – Public Transport in the incorporated *Officer Precinct Structure Plan* as a potential bus route is constructed in accordance with its corresponding cross section in the incorporated *Officer Precinct Structure Plan* ; and
- Signalised intersections that contain a proposed Principal Public Transport Network (PPTN) route in the *Officer Precinct Structure Plan* include bus priority measures to mitigate delays to bus travel times, to the satisfaction of the Director of Public Transport; and
- Any roundabouts or other road management devices on potential bus routes are constructed to accommodate ultra low floor buses in accordance with the Public Transport Guidelines for Land Use and Development; and
- The proposal includes the construction of the bus stops shown on Plan 16 – Public Transport in the incorporated *Officer Precinct Structure Plan* , including bus stop hard stands with direct and safe pedestrian access to a pedestrian path (all in accordance with the Public Transport Guidelines for Land Use and Development and compliant with the Disability Discrimination Act – Disability Standards for Accessible Public Transport 2002) at no cost to the Director of Public Transport all to the satisfaction of the Director of Public Transport.

A responsible authority may address any of the above matters through planning permit conditions.

3.0
Historic
06/03/2020
C232card

Application requirements

The following application requirements apply to an application for a permit under Clause 37.07, in addition to those specified in Clause 37.07 and elsewhere in the scheme and must accompany an application, as appropriate, to the satisfaction of the responsible authority:

General subdivision

All applications for subdivision must be accompanied by the following information to the satisfaction of the responsible authority.

- Details of the proposed use and development of each part of the land.
- A table setting out:
 - the amount of land allocated for the proposed uses; and
 - the mix of lot sizes.
- An indication of staging of subdivision and timing.
- Details of how the road connections, open space, pedestrian and bicycle linkages and drainage networks of the proposed development integrates with and responds to existing and planned developments on adjacent sites.
- Include a Transport Impact Assessment Report to the satisfaction of the relevant roads authority (be it VicRoads or Council).
- A plan showing access arrangements for properties adjacent to all existing and future arterial roads.
- A Public Infrastructure Plan which addresses:
 - The extent of any stormwater drainage works and road works proposed or required under this permit.
 - The land which is required to be set aside for infrastructure identified in the incorporated *Officer Development Contributions Plan* or the incorporated *Officer Precinct Structure Plan* including land required for public open space and community facilities and any proposed reconciliation payment in respect of the land having regard to its value set out in the incorporated *Officer Development Contributions Plan* .
 - An estimate of the extent of equalization which is required in respect of public open space to be provided having regard to the incorporated *Officer Precinct Structure Plan* and the incorporated *Officer Development Contributions Plan* .

CARDINIA PLANNING SCHEME

- Subject to the consent of the Collecting Agency, any infrastructure works set out in the incorporated *Officer Development Contributions Plan* which can be provided “in lieu” of development contributions in accordance with the incorporated *Officer Development Contributions Plan*.
- The effects of the provision of infrastructure on the land or any other land.
- Any other relevant matter related to the provision of infrastructure reasonably required by the responsible authority.
- A hydrogeological assessment of groundwater conditions on the site and the potential impacts on the proposed development including any measures required to mitigate the impacts of groundwater conditions on the development.
- An approved Cultural Heritage Management Plan that is endorsed by the future public land manager/s of any reserve to be created as part of the development or advice from a suitably qualified cultural heritage professional that confirms that a Cultural Heritage Management Plan is not required. This requirement may not be waived.
- A Conservation Management Plan for land within the Heritage Overlay, prepared in accordance with Conservation Management Plans: Managing Heritage Places – A Guide (Heritage Council of Victoria 2010).
- A Safety Management Study for any land adjacent to or including a gas pipeline easement to the satisfaction of Energy Safe Victoria.
- A site assessment of the land by a suitably qualified environmental professional including:
 - detail of the nature of the previous and existing land use/activities on the land;
 - an assessment of the potential level and nature of contamination on the land; and
 - advice on whether the environmental condition of the land is suitable for the proposed use/s and whether an environmental audit of all, or part, of the land is recommended having regard to the Potentially Contaminated Land General Practice Note June 2005, DSE, as amended from time to time.

Residential subdivision

In addition to the general subdivision requirements, an application that includes subdivision of land shown as residential on Plan 1 must be accompanied by the following information to the satisfaction of the responsible authority:

- An overall masterplan for all land in contiguous ownership of the landowner demonstrating the lot yield, diversity and distribution across the subject area, consistent with the principles outlined in the incorporated *Officer Precinct Structure Plan*.
- Subdivision and Housing Design Guidelines prepared to the satisfaction of the responsible authority in accordance with the incorporated *Officer Precinct Structure Plan*.
- A building envelope plan that addresses the planning and design guidelines set out in the incorporated *Officer Precinct Structure Plan* for land :
 - shown as Environmental Residential (north of the Princes Highway) in Plan 1;
 - included in Character Area 1c (CA1c) shown in Plan 7 of the incorporated *Officer Precinct Structure Plan*.
- The building envelope must provide for:
 - All outbuildings and water tanks to conform with the building envelope on the relevant lot;
 - A setback of at least 30 metres from any native vegetation in the relevant lot, which is identified to be protected and retained under the *Officer Native Vegetation Precinct Plan (September 2011)*, unless a planning permit is approved for the removal of that vegetation.

This requirement may not be waived or reduced.

- A Fire Risk Assessment prepared by a suitably qualified bushfire risk management professional for all land in contiguous ownership that is located within the area shown as Environmental Residential (north of the Princes Highway) in Plan 1, including:
 - identification of the Bushfire Attack Level (BAL) curves generated by the fire threat/s;

CARDINIA PLANNING SCHEME

- an assessment of the BAL standards applicable to each individual building envelope;
- advice about the impact of dwellings in closer proximity to the identified fire threat/s on the requirements for lots within than 100 metres of the fire threat/s, including requirements for defensible space and applicable BAL standards for dwellings.

This requirement may not be waived or reduced.

HyGain separation distance area

An application to use land within the ‘separation distance’ area to the existing HyGain Feeds Mill site at 10-20 Hickson Rd, Officer for Accommodation, Education centre, or Informal outdoor recreation must be accompanied by an Amenity Impact Plan which includes, as appropriate:

- A site plan identifying the proposal site in relation to the existing HyGain Feeds Mill site;
- An assessment of the amenity impacts of the existing use at HyGain Feeds site upon the proposed use, including:
 - Dust – conduct ambient particle measurements, for PM2.5 and PM10, and determine if the prevailing air quality criteria would be met. These criteria are currently determined under the Environment Protection Act by the State Environmental Protection Policies, to be superseded by the new Environmental Reference Standards on 1 July 2020.
 - Field Odour Survey – demonstrate that nuisance odours attributable to the subject industry would not cause unreasonable impact to amenity for sensitive uses within the buffer zone, using a methodology approved by EPA.
- Measures to mitigate potential amenity impacts from the existing use.

To the satisfaction of the Environmental Protection Agency and the responsible authority.

HyGain Feeds Mill noise influence area

An application to use and develop land for a dwelling within 300 metres from the existing HyGain Feeds Mill site at 10-20 Hickson Road, Officer must be accompanied by an acoustic report which demonstrates how a dwelling will be designed and constructed to achieve the noise levels identified in Clause 2.5 of the Schedule.

Neighbourhood Convenience Centres

Applications for buildings and works must be accompanied by a Site Context Report to the satisfaction of the responsible authority for Neighbourhood Convenience Centres.

The site context report must address the requirements set out in the incorporated *Officer Precinct Structure Plan* (specified in section 4.3.3b).

An application to use land for a shop in a Neighbourhood Convenience Centre must be accompanied by a retail demand assessment to the satisfaction of the responsible authority.

Whiteside Road Neighbourhood Activity Centre

An application to use or subdivide land, or to construct a building or construct and carry out works within the Whiteside Road Neighbourhood Activity Centre must be accompanied by an urban design framework which is to the satisfaction of the responsible authority.

The urban design framework must be generally in accordance with the incorporated *Officer Precinct Structure Plan*. The urban design framework may be amended to the satisfaction of the responsible authority.

Sustainability statement requirements

An application for subdivision of 60 or more lots, or to construct a building in the areas shown as Peripheral Commercial or Core Business must be accompanied by a Sustainability Statement as set out in the incorporated *Officer Precinct Structure Plan*.

Conditions and requirements for permits**Requirement - Urban Design Framework**

A permit within an area of an approved urban design framework must be generally in accordance with the approved urban design framework.

A permit may be granted to subdivide land or to construct a building or construct and carry out works prior to the approval of an urban design framework if, in the opinion of the responsible authority, the grant of the permit is consistent with the requirements for the Urban Design Framework as set out in the incorporated *Officer Precinct Structure Plan*.

Requirement - Native Vegetation Precinct Plan Implementation

Any:

- Works carried out in respect of any subdivision;
- Construction of buildings and associated works; and
- Removal, lopping or destruction of native vegetation on the land as authorised by the Native Vegetation Precinct Plan (NVPP) applying to the land

must be carried out in accordance with all of the requirements set out in the incorporated NVPP applying to the land to the satisfaction of the responsible authority.

Only the native vegetation which is identified for removal in the incorporated NVPP applying to the land may be removed, lopped or destroyed without a permit.

Before the removal, destruction or lopping of any native vegetation within any property (identified by the PSP Property Number in Map 1 of the Officer NVPP) the owner of the land from which the native vegetation is being removed must provide offsets consistent with the incorporated NVPP by either:

- providing an allocated credit extract issued by the Department of Sustainability and Environment; or
- preparing and submitting an Offset Plan to the satisfaction of the Department of Sustainability and Environment and have the Offset Plan approved by responsible authority.

Where an Offset Plan is approved:

- before the removal, destruction or lopping of any native vegetation, the owner of the land from which the native vegetation is being removed must provide on-title security for the Offset Site to the satisfaction of Department of Sustainability and Environment that provides for the implementation of the Offset Plan and pay the reasonable costs of the preparation, execution and registration of any on-title agreement; and
- offsets must be initiated within 12 months of approval of the Offset Plan or before the removal of Very High Conservation Significance vegetation, whichever is earlier, and be implemented according to the schedule of works in the Offset Plan to the satisfaction of the responsible authority.

Requirement - Environmental Assessment of Potentially Contaminated Land

Before the development associated with the subdivision starts, (this requirement does not apply to bore holes and excavation associated with an environmental site assessment), an environmental site assessment of the land by a suitably qualified environmental professional must be undertaken which provides information including:

- The nature of the previous and existing land use/activities on the land.
- An assessment of the potential level and nature of contamination on the land.
- Advice on whether the environmental condition of the land is suitable for the proposed use/s and whether an environmental audit of all or part of the land is recommended having regard to the *Potentially Contaminated Land General Practice Note June 2005, DSE*, as amended from time to time.

If an environmental site assessment recommends an environmental audit of all or part of the land, then:

- prior to the commencement of any use for a sensitive purpose; or

CARDINIA PLANNING SCHEME

- prior to any buildings or works; or
- prior to the certification of a plan of subdivision

whichever is the earlier of or in respect of all or that part of the land as the case may, the following must be provided to the responsible authority, either:

- A certificate of environmental audit issued for the relevant land in accordance with Part 1XD of the Environmental Protection Act 1970, or
- A statement by an environmental auditor appointed under the Environment Protection Act 1970, in accordance with Part 1XD of that Act that the environmental conditions of the relevant land are suitable for a sensitive use (with or without conditions on the use of the site);

If a Statement of Environmental Audit is provided rather than a Certificate of Environmental Audit and the Statement of Environmental Audit indicates that the environmental conditions of the relevant land are suitable for a sensitive use subject to conditions, the owner of the land must enter into an agreement with the responsible authority under Section 173 of the Planning and Environment Act 1987 before the issue of a Statement of Compliance or before the construction of any building on the relevant land, whichever is the earlier:

- implementation of and on-going compliance with all conditions in the Statement of Environmental Audit; and
- the responsible authority's reasonable legal costs and expenses of drafting/reviewing and registering the agreement to be borne by the owner of the relevant land.

Condition - Construction Environmental Management Plan

Prior to the commencement of any buildings or works a Construction Environmental Management Plan (CEMP) is to be prepared, where appropriate.

The CEMP must specifically address significant flora and fauna where the buildings or works are within:

- 50 metres of any native vegetation to be retained in the *Officer Precinct Native Vegetation Precinct Plan (September 2011)* ; and/or
- 100 metres of any waterbody (including creeks, drains, dams and wetlands) under the provisions of the incorporated *Officer Precinct Structure Plan Conservation Management Plan (excluding Cardinia Creek)* ; and/or
- the area shown as Environmental Residential (south of the railway line) in Plan 2.

The CEMP must address all requirements specified in the *Officer Native Vegetation Precinct Plan (September 2011)* and the relevant Conservation Management Plan and be to the satisfaction of the responsible authority.

Conditions - Conservation Management Plan

Where the *Officer Precinct Structure Plan Conservation Management Plan (excluding Cardinia Creek) (Ecology Partners, 15 September 2011)* or the *Officer Precinct Structure Plan Cardinia Creek Conservation Management Plan (Ecology Australia, 8 September 2011)* has been approved by the Secretary to the Department of Sustainability and Environment and it applies to the land (refer Plan 13 of the incorporated *Officer Precinct Structure Plan*), any permit granted for subdivision or the construction of a building or the carrying out of works must include the following conditions:

- The actions which identify the responsible agent as the “landowner” or “developer” in the Conservation Management Plan (CMP) must be implemented to the satisfaction of the Department of Sustainability and Environment.

and the following conditions, where appropriate:

- Prior to any works commencing within 100 metres of the edge of any waterbody which is to be retained, a highly visible fence is to be installed 20 metres from the edge of the water body.
- No polluted and/or sediment laden run-off is to be discharged directly or indirectly into drains or watercourses.

CARDINIA PLANNING SCHEME

- Pollution or litter traps must be provided on the land at appropriate points along the drainage system or drainage lines.
- A salvage and translocation plan must be prepared and implemented to the satisfaction of the Department of Sustainability and Environment and the approval of the responsible authority.

Where the land is identified to have suitable habitat approved to be removed in Appendix 8 of the *Officer Precinct Structure Plan: Cardinia Creek Conservation Management Plan (8 September 2011)*, any permit granted for subdivision or development must contain the following condition:

- Prior to the issue of a Statement of Compliance under the Subdivision Act, the landowner must enter into a legally binding agreement (or an alternative agreement approved by DSE) for the payment to implement the *Officer Precinct Structure Plan: Cardinia Creek Conservation Management Plan (8 September 2011)* in accordance with Section 2.3.1 Management Responsibilities and Funding and Appendix 8 to the satisfaction of the Department of Sustainability and Environment. The landowner must pay the reasonable costs of the preparation, execution, and registration of the agreement.

Condition - Subdivision permits

Any permit for subdivision must contain the following conditions as appropriate:

- The setback from the rail reserve and interface between the rail line and the proposed subdivision is to be to the satisfaction of the Department of Transport and the approval of the responsible authority.
- If any part of the land is shown in the incorporated *Officer Precinct Structure Plan* as unencumbered passive public open space that land must be transferred to Council subject to equalisation in accordance with the equalisation provisions in the incorporated *Officer Precinct Structure Plan*. This requirement does not apply if the responsible authority advises the owner that it does not require the land.
- Land required for road widening must be transferred to or vested in the relevant roads authority at no cost to the relevant road authority unless the land is funded by the incorporated *Officer Development Contributions Plan*.

Conditions - Small lot housing code

A permit issued before 31 December 2026 which allows for the subdivision of land to create a lot of less than 300 square metres, must include the following conditions:

- Before the plan of subdivision is certified under the *Subdivision Act 1988*, a plan must be approved and endorsed by the responsible authority, that identifies the lots to which:
 - type A or type B of the *Small Lot Housing Code* (Victorian Planning Authority, 2019) applies; or
 - type A, type B or type C of the *Small Lot Housing Code* (Victorian Planning Authority, November 2024) appliesto the satisfaction of the responsible authority.

A permit issued on or after 31 December 2026, other than an amendment of a permit issued before 31 December 2026 under section 72 of the Act, which allows for the subdivision of land to create a lot of less than 300 square metres, must include the following condition:

- Before the plan of subdivision is certified under the *Subdivision Act 1988*, a plan that identifies the lots to which type A, type B or type C of the *Small Lot Housing Code* (Victorian Planning Authority, November 2024) applies, must be approved and endorsed by the responsible authority.

Conditions - Use of a building envelope plan

Where a building envelope plan is proposed and/or required, any permit for subdivision must contain the following conditions:

- The building envelopes must be applied as a restriction on the plan of subdivision or through an agreement under section 173 of the Act that is registered on the title to the land. The restriction or the agreement must provide for:
 - the building envelope plan to apply to each relevant lot;

CARDINIA PLANNING SCHEME

- all buildings being constructed in accordance with the building envelope on the relevant lot;
- the construction of a building outside the building envelope only with the written consent of the Responsible Authority; and
- a building envelope to cease to apply to any building on a lot less than 300 square metres that is affected by the envelope after the issue of a Certificate of Occupancy for the whole of a dwelling and any garage or carport on the land.

5.0

Historic
06/03/2020
C232card

Exemption from notice and review

None specified.

6.0

Historic
06/03/2020
C232card

Decision guidelines

The following decision guidelines apply to an application for a permit under Clause 37.07, in addition to those specified in Clause 37.07 and elsewhere in the scheme which must be considered, as appropriate, by the responsible authority:

- Before deciding on an application to use land for Accommodation, Education centre, Informal outdoor recreation within the 'separation distance' area from the existing HyGain Feeds Mill site at 10-20 Hickson Road, Officer, the responsible authority must consider:
 - The recommendations of the Amenity Impact Plan required by Clause 3.0 of this schedule;
 - Whether the amenity of the proposed use would be detrimentally affected by the HyGain Feeds Mill site through the emission of noise, dust and odour;
 - Whether the proposal includes appropriate mitigation measures to protect against offsite amenity impacts from the HyGain facility; and
 - The distance between the subject site and the HyGain Feeds Mill site.

7.0

Historic
06/03/2020
C232card

Signs

Sign requirements are at Clause 52.05. Land is in the category specified in the applied zone.