

32.03
31/07/2018
VC148

LOW DENSITY RESIDENTIAL ZONE

Shown on the planning scheme map as **LDRZ** with a number (if shown).

Purpose

To implement the Municipal Planning Strategy and the Planning Policy Framework.

To provide for low-density residential development on lots which, in the absence of reticulated sewerage, can treat and retain all wastewater.

32.03-1
14/01/2025
VC237

Table of uses

Section 1 - Permit not required

Use	Condition
Automated collection point	Must meet the requirements of Clause 52.13-3 and 52.13-5. The gross floor area of all buildings must not exceed 50 square metres.
Bed and breakfast	No more than 10 persons may be accommodated away from their normal place of residence. At least 1 car parking space must be provided for each 2 persons able to be accommodated away from their normal place of residence.
Community care accommodation	Must meet the requirements of Clause 52.22-2.
Domestic animal husbandry (other than Domestic animal boarding)	Must be no more than 2 animals.
Dwelling (other than Bed and breakfast)	Must be the only dwelling on the lot. Must meet the requirements of Clause 32.03-2.
Home based business	
Informal outdoor recreation	
Medical centre	The gross floor area of all buildings must not exceed 250 square metres. The site must adjoin, or have access to, a road in a Transport Zone 2 or a Transport Zone 3.
Racing dog husbandry	Must be no more than 2 animals.
Railway	
Small second dwelling	Must be no more than one dwelling existing on the lot. Must be the only small second dwelling on the lot. Must meet the requirements of Clause 32.03-2. Reticulated natural gas must not be supplied to the building, or part of a building, used for the small second dwelling.
Tramway	

VICTORIA PLANNING PROVISIONS

Use	Condition
Any use listed in Clause 62.01	Must meet the requirements of Clause 62.01.
Section 2 - Permit required	
Use	Condition
Accommodation (other than Community care accommodation, Dwelling and Small second dwelling)	
Agriculture (other than Animal production, Apiculture, Domestic animal husbandry and Racing dog husbandry)	
Car park	Must be used in conjunction with another use in Section 1 or 2.
Car wash	The site must adjoin, or have access to, a road in a Transport Zone 2 or a Transport Zone 3.
Convenience restaurant	The site must adjoin, or have access to, a road in a Transport Zone 2 or a Transport Zone 3.
Convenience shop	
Domestic animal boarding	
Domestic animal husbandry (other than Domestic animal boarding) – if the Section 1 condition is not met	Must be no more than 5 animals.
Dwelling (other than Bed and breakfast) – if the Section 1 condition is not met	Must result in no more than two dwellings on the lot. Must meet the requirements of Clause 32.03-2.
Food and drink premises (other than Convenience restaurant)	
Grazing animal production	
Leisure and recreation (other than Informal outdoor recreation and Motor racing track)	
Market	
Place of assembly (other than Amusement parlour, Carnival, Cinema based entertainment facility, Circus and Nightclub)	
Plant nursery	
Service station	The site must either: Adjoin a commercial zone or industrial zone.

VICTORIA PLANNING PROVISIONS

Use	Condition
	- Adjoin, or have access to, a road in a Transport Zone 2 or a Transport Zone 3. The site must not exceed either: 3000 square metres. 3600 square metres if it adjoins on two boundaries a road in a Transport Zone 2 or a Transport Zone 3.
Store	Must be in a building, not a dwelling, and used to store equipment, goods, or motor vehicles used in conjunction with the occupation of a resident of a dwelling on the lot.
Utility installation (other than Minor utility installation and Telecommunications facility)	
Any other use not in Section 1 or 3	
Section 3 – Prohibited	
Use	
Amusement parlour	
Animal production (other than Grazing animal production)	
Cinema based entertainment facility	
Extractive industry	
Industry (other than Automated collection point and Car wash)	
Motor racing track	
Nightclub	
Office (other than Medical centre)	
Retail premises (other than Convenience shop, Food and drink premises, Market and Plant nursery)	
Saleyard	
Small second dwelling - if the Section 1 condition is not met	
Transport terminal	
Warehouse (other than Store)	

32.03-214/12/2023
VC253**Use for one or two dwellings, or a small second dwelling**

A lot used for one or two dwellings or a small second dwelling must meet the following requirements:

- Each dwelling or small second dwelling must be connected to reticulated sewerage, if available. If reticulated sewerage is not available, all wastewater from each dwelling must be treated and retained within the lot in accordance with the requirements in the Environment Protection Regulations under the *Environment Protection Act 2017* for an on-site wastewater management system.
- Each dwelling or small second dwelling must be connected to a reticulated potable water supply or have an alternative potable water supply, with appropriate storage capacity.
- Each dwelling or small second dwelling must be connected to a reticulated electricity supply or have an alternative energy supply.

32.03-314/12/2023
VC253**Subdivision****Permit requirement**

A permit is required to subdivide land.

Each lot must be at least the area specified for the land in a schedule to this zone. Any area specified must be at least:

- 0.4 hectare for each lot where reticulated sewerage is not connected. If no area is specified each lot must be at least 0.4 hectare.
- 0.2 hectare for each lot with connected reticulated sewerage. If no area is specified each lot must be at least 0.2 hectare.

A permit may be granted to create lots smaller than 0.4 hectare if the subdivision:

- Excises land which is required for a road or a utility installation.
- Provides for the re-subdivision of existing lots and the number of lots is not increased.

A permit must not be granted which would allow a separate lot to be created for land containing a small second dwelling.

VicSmart applications

Subject to Clause 71.06, an application under this clause for a development specified in Column 1 is a class of VicSmart application and must be assessed against the provision specified in Column 2.

Class of application	Information requirements and decision guidelines
Subdivide land to realign the common boundary between 2 lots where:	Clause 59.01
▪ The area of either lot is reduced by less than 15 percent. ▪ The general direction of the common boundary does not change.	

32.03-420/04/2026
VC307**Buildings and works**

A permit is required to construct or carry out any of the following:

- A building or works associated with a use in Section 2 of clause 32.03-1.
- An outbuilding which has dimensions greater than those specified in a schedule to this zone.

This does not apply to structural changes to a dwelling provided the size of the dwelling is not increased or the number of dwellings is not increased.

VicSmart applications

Subject to Clause 71.06, an application under this clause for a development specified in Column 1 is a class of VicSmart application and must be assessed against the provision specified in Column 2.

Class of application	Provision
Construct a building or construct or carry out works where:	Clause 59.04
■ The building or works are not associated with a dwelling, primary school or secondary school and have an estimated cost of up to \$150,000; or ■ The building or works are associated with a primary school or secondary school and have an estimated cost of up to \$700,000; and ■ The requirements in the following standards of Clause 54 are met, where the land adjoins land in a residential zone used for residential purposes: – clause 54.02-3 Side and rear setbacks. – clause 54.02-4 Walls on boundaries. – clause 54.04-1 Daylight to existing windows. – clause 54.04-2 Existing north-facing windows. – clause 54.04-3 Overshadowing secluded open space. – clause 54.04-4 Overlooking. – clause 54.05-2 Overshadowing domestic solar energy systems.	
If a schedule to the zone specifies a requirement of a standard different from a requirement set out in the Clause 54 standard, the requirement in the schedule to the zone applies and must be met.	

Transitional provisions

Clauses 32.03-4, 54 and 59.04 of this planning scheme, as in force immediately before the commencement of Amendment VC282, continue to apply to:

- An application for a planning permit lodged before that date.
- An application for an amendment of a permit under section 72 of the Act, if the original permit application was lodged before that date.

32.03-5
01/07/2021
VC203

Application requirements

Subdivision

An application must be accompanied by a site analysis, documenting the site in terms of land form, vegetation coverage and the relationship with surrounding land, and a report explaining how the proposed subdivision has responded to the site analysis. The report must:

- In the absence of reticulated sewerage, include a Land Capability Assessment on the risks to human health and the environment of an on-site wastewater management system constructed, installed or altered on the lot in accordance with the requirements of the Environment Protection Regulations under the *Environment Protection Act 2017*.

- Show for each lot:
 - A building envelope and driveway to the envelope.
 - Existing vegetation.
 - In the absence of reticulated sewerage, an effluent disposal area.
- Show how the proposed subdivision relates to the existing or likely use and development of adjoining and nearby land.
- If a staged subdivision, show how the balance of the land may be subdivided.

32.03-6

01/01/2024
VC250

Decision guidelines

General

Before deciding on an application, in addition to the decision guidelines in Clause 65, the responsible authority must consider, as appropriate:

- The Municipal Planning Strategy and the Planning Policy Framework.

Subdivision

- The protection and enhancement of the natural environment and character of the area including the retention of vegetation and faunal habitat and the need to plant vegetation along waterways, gullies, ridgelines and property boundaries.
- The availability and provision of utility services, including sewerage, water, drainage, electricity and telecommunications.
- In the absence of reticulated sewerage:
 - The capability and suitability of the lot to treat and retain all wastewater as determined by a Land Capability Assessment on the risks to human health and the environment of an on-site wastewater management system constructed, installed, or altered on the lot in accordance with the requirements of the Environment Protection Regulations under the *Environment Protection Act 2017*.
 - The benefits of restricting the size of lots to generally no more than 2 hectares to enable lots to be efficiently maintained without the need for agricultural techniques and equipment.
- The relevant standards of Clauses 56.07-1 to 56.07-4.

32.03-7

31/07/2018
VC148

Signs

Sign requirements are at Clause 52.05. This zone is in Category 3.