20/01/2026
VC278

SCHEDULE 6 TO CLAUSE 42.03 SIGNIFICANT LANDSCAPE OVERLAY

Shown on the planning scheme map as **SLO6** .

EDGARS CREEK REACH 1 – CRAIGIEBURN ROAD, WOLLERT TO DEVENY ROAD, EPPING

1.0 Statement of nature and key elements of landscape

20/01/2026
VC278

Edgars Creek is a tributary of Merri Creek (Merri Merri), within the connected system of rivers, wetlands and creeks of the Birrarung (Yarra River) catchment.

Edgars Creek rises in newly formed residential areas in Wollert in Melbourne's north, and flows 17 kilometres southwards through suburban and industrial areas in Epping, Thomastown and Reservoir to its confluence with Merri Creek in North Coburg.

While Edgars Creek has been heavily modified in some locations and its broader landscape setting adapted to respond to urbanisation, it is a significant natural system with high ecological, recreational and cultural heritage values and has opportunities for future restoration works.

Flowing through Wurundjeri Woi-wurrung Country, Edgars Creek and its landscape hold deeply embedded cultural and spiritual significance for Wurundjeri Woi-wurrung people. Edgars Creek is recognised and respected as a living, integrated, natural entity, with Wurundjeri Woi-wurrung people retaining ongoing custodial and reciprocal responsibilities to care for Baany-Biik (Water Country), just as the waterway and its lands continue to support the lives of the people, plants and animals living on it.

Edgars Creek provided fresh water and a resource-rich environment that supported Wurundjeri-Woi-wurrung life, with an abundance of fish, freshwater mussels, yabbies, eels, bird life and plant resources. Grasslands adjacent to the creek were periodically burnt to promote the growth of the Murnong (Yam Daisy), and to encourage emus, kangaroo and other mammals to graze fresh growth after fire.

Reach 1 of Edgars Creek spans from its headwaters around Wollert to Epping in the south. In this reach, Edgars Creek is a relatively shallow depression and narrow in width, meandering through areas of recent residential and industrial development on the outer edge of Melbourne. Formerly a wide expanse of grasslands dotted with stony knolls, the original landscape character in this reach is evident along the public land reservation of the waterway corridor and adjoining open space reserves.

The headwaters of Edgars Creek around Wollert comprise significant habitat links with the nationally significant Craigieburn grasslands to the west. Areas of remnant vegetation support River Red Gums, Yellow Box and native grasslands that provide habitat for species such as the Striped Legless Lizard, Golden Sun Moth, Growling Grass Frog, Pobblebonk Frog and Grey-headed Flying Fox. Common bird species include the Regent Honeyeater and Swift Parrot.

More recent development often features the waterway as part of a connected system of parklands, where streets and houses are aligned to face onto the waterway reserve. A number of natural basins and small wetlands are sporadically located along the length of this reach and the landscape is enhanced with native planting.

Downstream of O'Herns Road, the creek traverses industrial zones in Epping and older residential areas with numerous properties abutting the creek corridor, marked by rear fences.

Parts of the corridor are within and adjoin a Bushfire Prone Area. The management of bushfire hazards is an important part of waterway management.

2.0 Landscape character objectives to be achieved

20/01/2026
VC278

To enhance the role of the waterway as an integrated and continuous landscape corridor, protecting the environmental, cultural and landscape values of the waterway system.

To retain indigenous riparian vegetation and canopy trees or existing grasslands as the dominant landscape feature and enhance the revegetation and ecological improvement of the waterway corridor while managing the introduction of potential bushfire hazards.

To ensure the visual impact of buildings and works, including the storage of goods, is minimised when viewed from the waterway corridor.

To ensure that earthworks are minimised and do not affect the natural drainage function and landscape character of the waterway.

To ensure that fencing interfacing the waterway corridor is designed and located to be visually transparent and recessive in the landscape.

3.0 Permit requirement

29/01/2026
GC282

A permit is not required to:

- Construct a building or construct or carry out works in a Housing Choice and Transport Zone, Activity Centre Zone and Precinct Zone or on land subject to the Built Form Overlay if the following requirements are met:
  - the building is constructed using muted, natural and low-reflective colours and materials;
  - the ground level does not change by more than 600mm, as reinstated; and
  - the buildings and works are sited more than 50 metres from the top of bank of the waterway.
- Construct a building or construct or carry out works in a Precinct Zone if a masterplan has been approved under Clause 37.10-3.
- Construct a building or construct or carry out works in a zone other than a Housing Choice and Transport Zone, Activity Centre Zone and Precinct Zone or on land not subject to the Built Form Overlay if the following requirements are met:
  - the building is less than 6 metres in height above ground level;
  - the building provides no more than 50 square metres in additional gross floor area;
  - the building is constructed using muted, natural and low-reflective colours and materials;
  - the ground level does not change by more than 600mm; and
  - the buildings and works are sited more than 50 metres from the top of bank of the waterway.
- Construct a building or construct or carry works out by, or on behalf of, a public land manager to:
  - sustain the form and stability of stream beds and banks, regulate or control the flow of water in a watercourse; or
  - construct stream habitat works; or
  - maintain the landscape quality, health or bank stability of areas that have been restored or revegetated; or
  - maintain or repair existing assets; or
  - maintain or repair a pathway or trail.

A permit is required to remove, destroy or lop vegetation unless the vegetation:

- Has a height of less than 6 metres above ground level, a trunk diameter of less than 0.4 metres measured at 1.4 metres above ground level, and a canopy diameter of less than 4 metres; or
- Has been planted as part of a windbreak, plantation, orchard or horticulture; or
- Is identified as a weed species in the Advisory List of Environmental Weeds in Victoria; or
- Is removed, destroyed or lopped to the minimum extent necessary by or on behalf of the Head, Transport for Victoria, a public authority or municipal council to construct or maintain the transport system; or

- Is being removed, destroyed or lopped as part of maintenance works carried out by, or on behalf of, a public land manager that:
  - has the capacity to adversely affect stream flow; or
  - improves biodiversity and habitat restoration; or
  - forms part of an approved management plan.

A permit is required to construct a fence, unless the fence:

- Is constructed by or on behalf of the Head, Transport for Victoria; or
- Is erected for a period of not more than 60 days and is being used for stock management or agricultural activities; or
- Is sited more than 50 metres from the top of bank of the waterway, and:
  - is a metal post and wire, timber or metal post and railing, wire mesh, chainmesh or similar open rural style fence up to 1.4 metres in height; or
  - is at least 50 percent transparent when viewed perpendicular to the fence line and is less than 1.8 metres in height.

4.0 Application requirements

29/01/2026
GC282

The following application requirements apply to an application for a permit under Clause 42.03, in addition to those specified elsewhere in the scheme and must accompany an application, as appropriate, to the satisfaction of the responsible authority:

- To remove, destroy or lop vegetation:
  - An assessment and justification of the proposed removal of the vegetation against the landscape character objectives of this schedule prepared by a suitably qualified person.
  - A description and accurate site plan denoting the position, height, number, trunk circumference, branch spread, slope of land and species of any vegetation to be removed.
  - A plan detailing the location of any new and replacement planting.
  - For land within a Bushfire Prone Area, an assessment of the risk of any new or replacement planting that may result in additional bushfire hazard.
- For any other application:
  - A site survey plan certified by a qualified surveyor clearly showing the location and the distance of all buildings and works from the top of bank of the waterway.
  - A site context plan and elevations showing:
    - Building and fencing heights using Australian Height Datum measured from ground level.
    - Areas and volume of cut and fill.
    - Site coverage and permeability.
    - Location and proposed material for fences.
    - A schedule of materials and finishes.
    - The existing landscape including topography and vegetation.
    - A visual impact assessment of proposed buildings and works from public viewing points along the waterway.
  - A landscape plan which includes:
    - The type, location, quantity, height at maturity and botanical names of any proposed plants and details of any proposed tree protection zones.

  - Species that are sourced from the relevant municipal council's local planting guidelines where appropriate.
  - A maintenance/weed/erosion control plan for all proposed revegetated areas immediately adjacent to the banks of the waterway.
  - Measures for the protection of natural landforms, including appropriate approaches to vegetation retention and planting, ground preparation and the minimisation of ground disturbance.
  - Measures to control and filter pollutants in stormwater leaving the property.
  - In a Bushfire Prone Area, measures that appropriately manage the potential introduction of bushfire hazards.
- An assessment of the identified values and threats for the reach and the proposal's impact on the waterway corridor.

5.0
29/01/2026
GC282

Decision guidelines

The following decision guidelines apply to an application for a permit under Clause 42.03, in addition to those specified in Clause 42.03 and elsewhere in the scheme which must be considered, as appropriate, by the responsible authority:

- Whether the scale, form, siting and design of buildings and works:
  - Present new buildings that are sensitively integrated with the natural landscape setting of the waterway corridor, including vegetation.
  - Provide suitable heights, avoid visual bulk, are stepped back from the frontage of the waterway corridor and adjacent public open space and use materials, colours and finishes that are sensitively integrated with the natural landscape setting of the waterway corridor.
  - Manage and limit new light spill and overshadowing on the waterway, adjacent public open space, and pedestrian and bicycle paths.
  - Result in soil disturbance that impacts the banks of the waterway or water quality.
- Whether the buildings or works will create an adverse visual impact:
  - From prominent locations such as ridgelines, hill faces, escarpments and landscape features.
  - Within waterway corridors.
  - From parks and reserves along the waterway corridor.
  - Within the vegetation canopy along the waterway corridor.
- Whether the spacing between buildings allows for:
  - the planting of appropriate vegetation and canopy trees to filter views of the development; and
  - the maintenance of views to the waterway corridor.
- Whether the development results in the loss of public access to the waterway and its parklands or creates inappropriate access to the waterway and its parklands.
- Whether proposed vegetation species are compatible with the local plant communities.
- The justification for the proposed removal of the vegetation and whether there are alternative options.
- The effect of removing vegetation on the landscape setting and biodiversity values of the waterway and whether the loss of vegetation can be managed onsite through rehabilitation or replaced with vegetation that will grow to a similar size within a reasonable timeframe.
- The scale of excavation associated with any works and its impact on existing vegetation and cultural values along the waterway.

- Whether any proposed earthworks and changes in the topography of the waterway corridor will detrimentally impact its local natural landscape character and environmental values.
- Whether the proposed fencing allows for the free movement of wildlife, minimises visual intrusion and limits impact on the natural flood and watercourse characteristics.
- Within a Bushfire Prone Area, whether landscaping and revegetation considers potential bushfire hazards.